



WHAT DO  
YOU HAVE  
TO SAY?

## HP Designjet 4500 Printer series



Maximize productivity with the HP Designjet 4500 Printer series: Large input and output capacity for unattended printer operation plus optional high performance scanning/copying make it the ideal color production system for technical applications.

### Unattended color production at low cost

- **Large input and output capacity.** The HP Designjet 4500 Printer series has large, flexible input capacity, with two rolls to allow for different media types or sizes, as well as fast automatic roll switching and long roll support up to 575 ft/175 m. It also features large output capacity, with an optional stacker capable of flattening and stacking up to 200 plots.
- **New high-capacity HP 90 Black Ink Cartridge (775 ml) and 3-ink cartridge multipack.** The HP Designjet 4500 Printer series provides greater convenience and fewer interruptions for environments that produce a high volume of line drawings. 3-ink cartridge multipacks and value packs for each color lower the overall printer costs.
- **No need for trimming with small margin printing.** Ready-to-use prints: The HP Designjet 4500 Printer series creates CAD prints with 0.2 in/5 mm margins so there's no need for trimming.
- **Low support costs.** Count on the world-renowned reliability of HP printers and printing supplies to reduce your support costs and increase uptime.

### Superior lines and images

- **Accurate lines and high image quality.** With the ability to deliver up to 2400 x 1200 dpi and 0.1% line accuracy, the HP Designjet 4500 Printer series creates sharp, professional-quality images. And patented dye-based color and pigment-based black HP inks produce accurate lines and images to perfect the job.
- **HP Professional Color Technologies.** The HP Designjet 4500 Printer series helps you get the right colors on the first print by employing a range of HP's Professional Color Technologies, including: enhanced sRGB printing and AdobeRGB, Closed Loop Color, TIFF and JPEG with embedded ICC profiles, offset emulation, HP CMYK Plus, Black Point compensation, and PANTONE® calibration (PS only).
- **Exceptional output quality enabled by HP media.** HP Universal Inkjet Bond paper features industry-leading whiteness for a value bond paper with crisp line resolution and high color-contrast prints. Use HP Super Heavyweight Plus Matte Paper to deliver ripple-free, photorealistic graphics at productive printer speeds and an affordable price and HP Universal Instant-dry Photo Media for immediate lamination and post-printing processing, saving time and money.

### Double your print capacity<sup>1</sup>

- **HP Double Swath Technology - twice the performance in color and black-and-white.<sup>1</sup>** Two long-life HP printheads for each color deliver a wide print swath and a higher firing frequency that enables fast printing. Get 2 D/A1-size prints in color and black-and-white in less than 1 minute.<sup>2</sup> The embedded processor delivers fast, simultaneous processing and printing up to 100 D/A1-size prints per hour.<sup>3</sup>
- **Driverless multi-file printing.** Save time with the driverless multi-file printing workflow that is operating system independent and simply requires a TCP/IP connection and a standard Web browser. Experience support for a wide range of formats, including TIFF, JPEG, CALS/G4, HP-RTL, HP-GL/2, as well as Adobe® PostScript® Level 3™ and PDF 1.5 to help you quickly and accurately finish any job.
- **Fast, simultaneous processing.** Experience fast, simultaneous processing and printing thanks to the embedded processor. This robust series comes equipped with 256 MB of memory that can be expanded up to 512 MB for excellent performance on even your most complex jobs.

### Easy-to-use integrated solution

- **Integrated copy system.** The integrated copy system of the HP Designjet 4500mfp features real-time printer, media, and queue information in the scanner user interface along with copy accounting in the printer, and copy job priority capability.
- **Outstanding copy and scan performance.** With scan speeds of 3 inches per second color and 10 inches per second black-and-white, 2 D/A1-size prints in less than 1 minute<sup>2</sup>, and excellent image quality (508 dpi optical resolution and up to 9600 dpi enhanced resolution), the HP Designjet 4500mfp delivers outstanding copy and scan performance.
- **Remote printer management and extended accounting support.** The HP Designjet 4500 Printer series comes with the HP Embedded Web Server, which lets you remotely manage printer, ink, and media usage. Plus, you can generate detailed usage reports by job, user, project, or even type of print and automatically send them for remote usage tracking or easy and accurate billing.


<sup>1</sup> Compared to any HP Designjet 600/700/800/1000 Printer series

<sup>2</sup> Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.

<sup>3</sup> Multi-copy printing; total printing time.

# HP Designjet 4500 Printer series

1. Ink supplies of 225 and 400 ml for CMY, and 400 and 775 ml for K.
2. Accommodates 2 media rolls with long roll support up to 575 ft/175 m.
3. Front panel with user-friendly animations.
4. Color consistency and screen-to-print matching with HP Professional Color Technologies.
5. Pairs of staggered printheads in the carriage mean the HP Designjet 4500 Printer series has double the print capacity of earlier models.\*
6. HP Embedded Web Server for driverless file submission, queue management, preview, supplies and printer status, and error notification.
7. HP Embedded Jetdirect Print Server 10/100Base-T + 2 IEEE1394 (FireWire®) ports.
8. EIO port for optional Jetdirect cards.
9. Embedded processor for simultaneous printing and processing. 256 MB memory expandable to 512 MB and 40 GB hard disk.
10. Equipped with a standard bin that holds 25 D/A1-size prints. An optional stacker is capable of flattening and stacking up to 200 plots.



\* Compared to any HP Designjet 600/700/800/ 1000 Printer



HP large black ink cartridge



HP long media roll



5 mm margins



HP Double Swath Technology

## HP Designjet 4500 Printer series at a glance

### HP Designjet 4500 Printer

- Up to 42 in/1067 mm wide
- 2400 x1200 dpi maximum resolution
- Two media rolls with long roll support up to 575 ft/175 m
- Ink supplies of 225 and 400 ml for CMY, 400 and 775 ml for K
- Embedded processor and 256 MB memory expandable up to 512 MB. 40 GB hard disk
- Support for HP-GL/2, HP RTL, TIFF, JPEG, CALS G4

### HP Designjet 4500ps Printer

- All the features of the 4500 model, plus:
- Embedded RIP for Adobe PostScript 3, Adobe PDF 1.5

### HP Designjet 4500mfp Printer

- All the features of the 4500 model, plus:
- Embedded RIP for Adobe PostScript 3, Adobe PDF 1.5
  - HP Designjet 4500 Scanner

### Optional accessories

- HP Designjet 4500 Stacker
- HP Designjet 4500 Scanner (comes as standard with HP Designjet 4500mfp)
- HP Jetdirect 40d Gigabit Print server
- HP Designjet 4500 - 42 in/1067 mm Roll Feed Spindle
- HP Designjet High Speed USB 2.0 Card
- HP Designjet 256 MB Memory Upgrade
- HP Jetdirect 620n Fast Ethernet Print Server

### Optional service and support

- HP Installation Service (1 unit)
- HP Network Installation Service (1 unit)
- HP Next Business Day Onsite Hardware Support, 3 years
- HP 4 hour response 9x5 Onsite Hardware Support, 3 years
- HP 4 hour response 13x5 Onsite Hardware Support - onsite in 4 hours, 3 years
- HP Next Business Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 9x5 Same-Day Onsite Hardware Support, 1 year post warranty
- HP 4 hour response 13x5

"With the Designjet 4500 you don't need to constantly check on the printer, instead you can do something else. We easily save 6 to 12 hours a week because of this."

John Jury, Director, Reprograffix

## Full flexibility from the HP Designjet 4500 Printer series



### More functionality with the HP Designjet 4500mfp

With scan speeds of 3 inches per second color and 10 inches per second black-and-white, 2 D/A1-size prints in less than 1 minute<sup>1</sup>, and excellent image quality (508 dpi optical resolution and up to 9600 dpi enhanced resolution), the HP Designjet 4500mfp delivers outstanding copy and scan performance.

The Designjet's integrated copy system features real-time printer, media, and queue info in the scanner user interface, copy accounting in the printer, and copy job priority capability.

Integration with the printer enables excellent copy quality and performance.

An easy-to-use touchscreen, easy color calibration, and easy print settings for printing sets make scanning and copying exceptionally user-friendly.

It is easy to integrate with a wide variety of industry leading third-party applications such as scan, raster-to-vector-conversion or document management.

This MFP is fully compatible. Easily print scanned documents directly to almost any HP Designjet printer<sup>2</sup>. Built-in scan-to-network capabilities foster productivity with fewer steps. Easily save scanned files in PDF, TIFF, JPEG2000, and DWF file formats.

### HP Designjet 4500 Stacker (optional)

The HP Designjet 4500 Stacker collects up to 200 D/A1 or E/A0 size plots and automatically flattens them, keeping them organized until you can gather them. Print unattended runs during business hours—and get more done—or overnight.

Free up production staff to work on multiple projects at once. The HP Designjet 4500 Stacker handles large black-and-white or color jobs without intervention. Unattended printing allows users to get more done.

Save time and collect your valuable, high-impact output as it prints with the HP Designjet 4500 Stacker. When you're ready to gather your output, it will be organized and waiting for you.

Neatly and cleanly collects all sizes and weights of printable media supported by the HP Designjet 4500 Printer series<sup>3</sup>, including HP Universal Inkjet Bond paper, HP Super Heavyweight Plus Matte Paper, and HP Universal Instant-dry Photo Media.

(1) Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet Paper (Bond). Speed indicated is maximum printer speed.

(2) Full compatible with HP Designjet 500, 800, 1000, 4000, 4500, 5000, 5500, T610, T1100, Z2100, Z3100, Z6100 series products.

(3) Stacker performance may vary depending on the media used.

# HP Designjet 4500 Printer series

## Technical specifications

|   |  |
|---|--|
| <b>Print speed</b>                        | 25 sec D/A1-size ; 93 m <sup>2</sup> /hr <sup>1</sup> ; 1000 ft <sup>2</sup> /hr <sup>1</sup> ; up to 100 D/A1-size prints per hour <sup>1</sup>   |
| <b>Resolution, maximum</b>                | Up to 2400 x 1200 optimized dpi  |
| <b>Line accuracy</b>                      | +/- 0.1% <sup>4</sup>  |
| <b>Print margins</b>                      |  |
| Top                                       | 0.2 in/5 mm (Small); 0.45 in/11.5 mm (Normal); 2.1 in/55 mm (Extended)   |
| Bottom                                    | 0.2 in/5 mm (Small and Normal); 2.1 in/55 mm (Extended)  |
| Side                                      | 0.2 in/5 mm (Small and Normal); 0.6 in /15 mm (Extended)   |
| <b>Printer media</b>                      |  |
| Thickness                                 | Up to 0.157 in/0.4 mm  |
| Weight                                    | 0.11 to 0.72 lb/50 to 328 g/m <sup>2</sup>   |
| Size                                      | Rolls up to 42 in/1067 mm wide   |
| <b>Print</b>                              |  |
| Technology                                | HP Thermal Inkjet  |
| Technology resolution                     | HP Color Layering technology, HP PhotoREt III  |
| Print cartridge colors                    | Black, cyan, magenta, yellow   |
| Ink types                                 | Black pigmented, CMY dye-based   |
| Ink drop                                  | 5 pl color, 15 pl black  |
| <b>Scan<sup>2</sup></b>                   |  |
| Speed                                     | <b>Color (200 dpi/400 dpi Turbo):</b> 3 in/sec (76 mm/sec)<br><b>Black-and-white (200 dpi/400 dpi Turbo):</b> 10 in/sec (254 mm/sec)   |
| Resolution                                | <b>Best mode:</b> color and black-and-white 300 x 300 dpi<br><b>Normal mode:</b> color and black-and-white 200 x 200 dpi<br><b>Draft mode:</b> color and black-and-white 150 x 150 dpi<br><b>Enhanced mode:</b> color and black-and-white 9600 x 9600 dpi, with variable resolution settings from 50 dpi in increments of 1 dpi                          |
| Max. Scan Width                           | 42 in/1067 mm  |
| Max. Scan Thickness                       | 0.6 in /15 mm  |
| <b>Memory</b>                             | 256 MB (upgradeable to 512 MB), 40 GB hard disk  |
| <b>Media Handling</b>                     |  |
| Printers                                  | Two automatic rolls, automatic roll-switching, automatic cutter  |
| Scanner <sup>2</sup>                      | Straight-through scan paper path for sheet and cardboard originals   |
| <b>Media Types</b>                        |  |
| Printers                                  | Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, glossy, translucent bond, natural tracing, photo, vellum), film.   |
| Scanner <sup>2</sup>                      | Non-abrasive paper, vellum, mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard, no plywood, no stone plates, no metal plates nor abrasive dirty, rough, sharp edged, metal clamped, burned surfaces  |
| Stacker                                   | Paper (plain, inkjet, coated, heavyweight coated, super heavyweight coated, semi-gloss, translucent bond, natural tracing, photo, vellum) <sup>4</sup>   |
| <b>Connectivity</b>                       |  |
| Interfaces Standard: Printers             | 1 EIO slot, embedded Jetdirect, Fast Ethernet (10/100 Mbps), FireWire (IEEE 1394a-compliant)   |
| Interfaces Standard: Scanner <sup>2</sup> | 1 Fast Ethernet 10/100 Base-TX   |
| Interfaces Optional                       | HP Jetdirect 620n LAN Card, HP Jetdirect 40d Gigabit Print Server for the HP Designjet 4000 Printer series, HP Designjet 4000 Printer series Hi-speed USB 2.0 card   |
| Drivers (included)                        | HP-GL/2, HP-RTL Windows drivers, PS Windows drivers (HP Designjet 4500ps Printer and HP Designjet 4500mfp only), Optimized Windows driver for AutoCAD 2000 and higher, support for Citrix MetaFrame environments, PS driver for Mac OS X   |
| <b>Print languages (standard)</b>         |  |
| 4500                                      | HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4   |
| 4500ps & 4500mfp                          | Adobe PostScript 3, Adobe PDF 1.5, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4  |
| <b>Dimensions (h x d x w)</b>             |  |
| Maximum Printer                           | 76 x 31.5 x 53.2 in / 1930 x 800 x 1350 mm   |
| Maximum Scanner <sup>5</sup>              | 70.8 x 40.2 x 54.3 in / 1800 x 1020 x 1380 mm  |
| Maximum Stacker                           | 50.63 x 61.77 x 44.69 in / 1286 x 1569 x 1135 mm   |
| Shipping Printer                          | 83.9 x 30.5 x 52 in (EMEA), 83.9 x 30.5 x 74.4 in (CA, LAR, NA, AP) / 2130 x 775 x 1320 mm (EMEA), 2130 x 775 x 1890 mm (CA, LAR, NA, AP)  |
| Shipping Scanner <sup>5</sup>             | 75.2 x 27.2 x 28.7 in / 1910 x 690 x 730 mm  |
| Shipping Stacker                          | 55.1 x 31.9 x 23.6 in / 1400 x 810 x 23.6 mm   |
| <b>Weight</b>                             |  |
| Printer                                   | 408 lb/185 kg  |
| Scanner <sup>2</sup>                      | 204 lb/92.5 kg   |
| Stacker                                   | 116.84 lb/53 kg  |
| Shipping Printer                          | 501.1 lb (EMEA), 600.3 lb (CA, LAR, NA, AP) / 227.3 kg (EMEA), 272.3 kg (CA, LAR, NA, AP)  |
| Shipping Scanner <sup>5</sup>             | 316 lb/143.5 kg  |
| Shipping Stacker                          | 143.3 lb/65 kg   |
| <b>What's in the box</b>                  |  |
| HP Designjet 4500/4500ps                  | HP Designjet 4500 Printer, stand and basket assembly, roll module, setup poster, documentation and drivers CD, Quick Reference Guide and holder, media sample, maintenance kit, power cord, 3-in spindle adaptor (x4), printheads (x8), printhead cleaners (x8), ink cartridges (x4), ink cartridge insert, ink printhead insert, Customer Service Guide |
| HP Designjet 4500mfp                      | All the features mentioned above, plus HP Designjet 4500 Scanner, scanner stand, touchscreen (panel PC), keyboard, power cables, FireWire cables (x2), media guides (x2), maintenance sheet, system recovery DVD, maintenance kit, plastic dust cover, scanner setup poster, scanner Quick Reference Guide   |

<sup>1</sup> Mechanical printing time. Printed in Fast mode on HP Bright White Inkjet paper (Bond). Speed indicated is maximum printer speed.  
<sup>2</sup> Color image: Bandits\_dmy.jpg based on plain paper, 41.53 x 42.36 in/1055 x 1076 mm (Fast mode). Optimize for Text/Drawings, Maximum Detail - Off  
<sup>3</sup> Multi-copy printing; total printing time.  
<sup>4</sup> ±0.1% of the specified vector length or ±0.1 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on E/A0 printing material in Best or Normal mode with HP Matte Film.  
<sup>5</sup> HP Designjet 4500mfp only.  
<sup>6</sup> The HP Designjet 4500 Stacker series does not support films, including HP Clear Film and HP Matte Film or other media with long drying time.

## Environmental ranges

|                                   |                           |
|-----------------------------------|---------------------------|
| Operating temperature             | 41 to 104° F/5 to 40° C   |
| Recommended operating temperature | 59 to 86° F/15 to 30° C   |
| Storage temperature               | -4 to 131° F/-20 to 55° C |
| Operating humidity                | 20 to 80% RH              |
| Recommended humidity              | 25 to 75% RH              |

## Acoustic

|                         |          |
|-------------------------|----------|
| Sound pressure, active  | 46 dB(A) |
| Sound pressure, standby | 41 dB(A) |
| Sound power, active     | 6.3 B(A) |
| Sound power, standby    | 5.8 B(A) |

## Power consumption

|         |                         |
|---------|-------------------------|
| Maximum | 500 watts, 800 watts(5) |
|---------|-------------------------|

## Power requirements

|          |   |
|----------|---|
| Printers | Input voltage 100 to 127 V ac (+/- 10%), 6 amp; 220 to 240 V ac (+/- 10%), 3 amp; 50/60 Hz (+/- 3 Hz); auto range |
| Scanner  | 100 to 240 V ac (+/- 10%), auto range, 50/60 Hz, 5 amp maximum <sup>3</sup>                                       |

## Power certification

|                               |  |
|-------------------------------|--|
| Safety certification          | Compliant with IEC 60950, including EUL IVD and EN60950, CSA-certified for US and Canada, Mexico NYCE, Argentina IRAM, Singapore PSB, Russia VNIIS, NEMKO, China CCC, Taiwan BSMI  |
| Electromagnetic compatibility | Compliant with Class A requirements, including EUL (EMC Directive), US (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MOC), Japan (VCCI), Korea (MIC), Taiwan (BSMI) ENERGY STAR® qualified models; see: <a href="http://www.hp.com/go/energystar">http://www.hp.com/go/energystar</a> |

## Warranty

|  |                                    |
|--|------------------------------------|
|  | One-year next-business-day on-site |
|--|------------------------------------|

## Service and support - Care packs

|                              |  |
|------------------------------|--|
| HP Designjet 4500 and 4500ps | UD631A/E: 3 year Next-Day Onsite - onsite next day support<br>UD634A/E: 3 year 9x5 Same-Day Onsite - onsite support in 4 hours<br>UD637A/E: 3 year 13x5 Same-Day Onsite - onsite support in 4 hours<br>UD640PA/PE: Next day onsite - 1Year post warranty<br>UD641PA/PE: 9x5 Same-day onsite - 1Year post warranty<br>UD642PA/PE: 13x5 Same-day onsite - 1Near post warranty<br>UD644A/E: 3 year Next-Day Onsite - onsite next day support<br>UD647A/E: 3 year 9x5 Same-Day Onsite - onsite support in 4 hours<br>UD894A/E: 3 year 13x5 Same-Day Onsite - onsite support in 4 hours<br>UD897PA/PE: Next-day onsite - 1Year post warranty<br>UD898PA/PE: 9x5 Same-day onsite - 1Year post warranty<br>UD899PA/PE: 13x5 Same-day onsite - 1Year post warranty |
| HP Designjet 4500mfp         |  |

## Ordering information

### Product

|        |                             |
|--------|-----------------------------|
| Q1271A | HP Designjet 4500 Printer   |
| Q1272A | HP Designjet 4500ps Printer |
| Q1276A | HP Designjet 4500mfp        |

### Accessories

|        |   |
|--------|---|
| Q5676A | HP Designjet 4500 42-in Roll Feed Spindle                               |
| Q5680A | HP Designjet High Speed USB 2.0 Card                                    |
| Q5673A | HP Designjet 256 MB Memory Upgrade                                      |
| Q5677A | HP Designjet 4500 Stacker 220V  |
| Q5677B | HP Designjet 4500 Stacker 110V  |
| J7934G | HP Jetdirect 620n Fast Ethernet Print Server                            |
| Q5679A | HP Jetdirect 40d Gigabit Print Server                                   |
| Q1277A | HP Designjet 4500 Scanner (comes as standard with HP Designjet 4500mfp) |

### Ink supplies

|        |  |
|--------|--|
| C5054A | HP 90 Black Printhead and Cleaner                                  |
| C5055A | HP 90 Cyan Printhead and Cleaner                                   |
| C5056A | HP 90 Magenta Printhead and Cleaner                                |
| C5057A | HP 90 Yellow Printhead and Cleaner                                 |
| C5058A | HP 90 Black Ink Cartridge, 400 ml                                  |
| C5059A | HP 90 Black Ink Cartridge, 775 ml                                  |
| C5060A | HP 90 Cyan Ink Cartridge, 225 ml                                   |
| C5061A | HP 90 Cyan Ink Cartridge, 400 ml                                   |
| C5062A | HP 90 Magenta Ink Cartridge, 225 ml                                |
| C5063A | HP 90 Magenta Ink Cartridge, 400 ml                                |
| C5064A | HP 90 Yellow Ink Cartridge, 225 ml                                 |
| C5065A | HP 90 Yellow Ink Cartridge, 400 ml                                 |
| C5078A | HP Black Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)   |
| C5079A | HP Cyan Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)    |
| C5080A | HP Magenta Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge) |
| C5081A | HP Yellow Value Pack (Printhead & Cleaner + 400 ml Ink Cartridge)  |
| C5082A | HP 90 3-Ink Black Cartridge Multipack - 400 ml                     |
| C5083A | HP 90 3-Ink Cyan Cartridge Multipack - 400 ml                      |
| C5084A | HP 90 3-Ink Magenta Cartridge Multipack - 400 ml                   |
| C5085A | HP 90 3-Ink Yellow Cartridge Multipack - 400 ml                    |
| C5095A | HP 90 3-Ink Black Cartridge Multipack - 775 ml                     |
| C5096A | HP 90 Black Printhead Cleaner                                      |

### Media supplies

|        |   |
|--------|---|
| C6810A | HP Bright White Inkjet Bond Paper (36 in x 300 ft/914 mm x 91.4 m)                    |
| 51642B | HP Matte Film (36 in x 125 ft/914 mm x 38 m)  |
| C3868A | HP Natural Tracing Paper (36 in x 150 ft/914 mm x 45.7 m)                             |
| C3859A | HP Translucent Bond (36 in x 150 ft/914 mm x 45.7 m) NA, LA, AP                       |
| C6980A | HP Coated Paper (36 in x 300 ft/914 mm x 91.4 m)                                      |
| C6030C | HP Heavyweight Coated Paper (36 in x 100 ft/914 mm x 30.48 m)                         |
| Q1956A | HP Heavyweight Coated Paper (42 in x 225 ft/1067 mm x 68.58 m) NA & EMEA              |
| Q6576A | HP Universal Instant Dry Photo Gloss (42 in x 100 ft/1067 mm x 30.48 m)               |
| Q6581A | HP Universal Instant Dry Photo Semi-Gloss (42 in x 100 ft/1067 mm x 30.48 m)          |
| Q8004A | HP Universal Inkjet Bond Paper (A1, 594 mm x 91.5 m) EMEA & JP                        |
| Q8002A | HP Universal Inkjet Bond Paper (36 in x 500 ft/914 mm x 152.4m)                       |
| Q8005A | HP Universal Inkjet Bond Paper (A0, 841 mm x 91.5 m) EMEA & JP                        |
| Q1398A | HP Universal Inkjet Bond Paper (42 in x 150 ft/1067 mm x 46.7 m) NA, EMEA, AP         |
| Q1406A | HP Universal Coated Paper (42 in x 150 ft/1067 mm x 46.7 m)                           |
| Q1414A | HP Universal Heavyweight Coated Paper (42 in x 100 ft/1067 mm x 30.48 m) NA, EMEA, AP |
| Q6627A | HP Super Heavyweight Plus Matte Paper (36 in x 100 ft/914 mm x 30.58 m) NA, EMEA, AP  |
| Q6628A | HP Super Heavyweight Plus Matte Paper (42 in x 100 ft/1067 mm x 30.48 m) NA, EMEA, AP |

More HP media sizes and weights available at:  
[www.hp.com/go/designjet/supplies](http://www.hp.com/go/designjet/supplies)



© 2004, 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. PANTONE is the property of Pantone, Inc. Adobe and PostScript 3 are trademarks of Adobe Systems Incorporated. FireWire is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Windows is a U.S. registered trademark of Microsoft Corporation.

For more information, visit our website at:  
[www.hp.com/go/designjet4500](http://www.hp.com/go/designjet4500)

